



# Butinox<sup>®</sup>

WOOD PROTECTION

Protect and enhance the natural beauty of wood



Butinox<sup>®</sup>1 Butinox<sup>®</sup>2 Butinox<sup>®</sup>3

WORKING BEAUTIFULLY WITH NATURE



### **Butinox<sup>®</sup> 1**

EXTERIOR USE TRANSLUCENT STAIN

Protect and enhance the natural beauty of wood with **Butinox 1**. An exterior, translucent, solvent based woodstain designed for a variety of exterior timber applications including newly primed, previously stained or pressure impregnated wood.

### **Butinox<sup>®</sup> 2**

EXTERIOR USE OPAQUE STAIN

This opaque solvent-based woodstain delivers exceptional protection for new and existing exterior timber. It is easy to apply and forms a flexible film, which provides excellent weather resistance.

### **Butinox<sup>®</sup> 3**

EXTERIOR USE OPAQUE STAIN

**Butinox 3** is an opaque, waterborne woodstain for use outdoors – containing both alkyd and acrylic resins – offering the best performance and the longest service of all the stains within the Butinox range.

### **Visir**

Available as either a pigmented waterborne or clear solvent-based primer, providing complete protection of new and weather worn timber.



# Butinox® 0



553 Yellow Pine



B1 06 Willow



B1 05 Oak



B1 03 Burma Teak



B1 02 Alaskan Yellow



B1 01 Sugar Maple



B1 13 New Teak



B1 14 New Autumn Red



521 Teak



524 Hazel



515 Cedar



B1 04 New Hazel



804 Blue Grey



544 Blue



B1 10 Sea Birch



526 Forest Green



B1 17 Aspen



B1 08 Holly Green



520 Woodtar Brown



517 Mahogany



B1 15 Red Mahogany



525 Cherry



541 Autumn Red



516 Oregon Pine



507 Black



527 Antique Brown



B1 20 Kingwood



B1 16 Black Walnut



B1 12 New Walnut



509 Chestnut

Properties	Butinox® 0	Butinox® 2	Butinox® 3
Translucent	•		
Opaque		•	•
Solvent	•	•	
Water Based			•
Primer Required		•	•
Planed Wood Coverage	10-12m <sup>2</sup> /l	10-12m <sup>2</sup> /l	6-10m <sup>2</sup> /l
Sawn Wood Coverage	5-8m <sup>2</sup> /l	5-8m <sup>2</sup> /l	5-8m <sup>2</sup> /l
Application Methods	Brush / Roller / Spray	Brush / Roller / Spray	Brush / Roller / Spray
Tin Sizes	1l / 3l / 10l	1l / 3l / 10l	1l / 3l / 10l
Number of Coats	2	2 + Visir Primer	2 + Visir Primer
Substrates	Wood	Wood	Wood / Brick / Stone / Concrete
Life Span	5 years	6 years	8 years

# Butinox<sup>®</sup>2 Butinox<sup>®</sup>3



B 002 Wall Chalk



701 White



B 004 Ivory



B 006 New White



B 008 Shaded Satin



B 009 Stone



B 010 Fawn



705 Lightsand



B 017 Cream



B 018 Soft Cane



B 023 Green Court



B 025 Verditer



B 027 Duck Egg



B 029 Green Slate



B 028 Grey Green



B 024 Summer House



709 Spring Green



B 038 Smoke Green



B 031 Ice Sky



B 032 River Stone



B 034 Ludworth Blue



B 033 Cotton Light



B 035 Stow Blue



OP28 Foster



B 011 Pink Mallow



B 012 Fresh Plaster



B 014 Deep Earth



B 015 Fanchon Red



711 Antique Red



731 Burgundy



B 039 Dark Olive



B037 Lead



737 Blue



B 036 Banbury



712 Java Teak



B 042 Mahogany



B 041 Ground Clay



B 040 Dead Wood



732 Nut Brown



708 Russet



B 043 Canadian Bark



706 Ebony

Please note: Possible slight colour deviations depending on substrate. Our paints comply with European Commission VOC product directive 2004/42/CE, which limits the VOC content of paints. Our water based paints already comply with the 2010 limits set by the EU.



**Butinox**<sup>®</sup>



The beauty and strength of the natural world have inspired the colour palette for our Butinox series of outdoor timber protection products.

#### **Introducing the Butinox range of woodstains**

Jotun Butinox woodstains give you the best of both worlds: the range has been formulated to enhance the look of wood while maintaining the highest standards of protection against the UK's challenging weather.

Not only do they give you exceptional protection for all your exterior timber, Butinox woodstains bring out the natural beauty of the grain and that even goes for the opaque stain, with its low build characteristics.

Using natural oils, as well as the latest alkyd and acrylic resins, Butinox woodstains will remain flexible, durable and hardwearing for years to come and offer long maintenance cycles of between 5 and 8 years.

**Jotun Paints (Europe) Ltd**  
Stather Road  
Fibborough, Scunthorpe  
North Lincolnshire  
DN15 8RR

**Jotun Decorative Orders  
and Customer Services**  
Telephone: +44 (0)1724 400 000  
Fax: +44 (0)1724 400 130  
Email: [deco.uk@jotun.co.uk](mailto:deco.uk@jotun.co.uk)

Our paints comply with European  
Commission VOC product directive  
2004/42/CE, which limits the VOC content  
of paints. Our water based paints already  
comply with the 2010 limits set by the EU.



Jotun Protects Property